



MG41/41E Technical Specifications

By Unni Rajagopalan

Overview

Connectivity is critical for any organization that depends on reliable internet access in order to function. Wireless WAN connectivity options, such as cellular networks, serve as a reliable backup internet uplink in the event of a primary uplink failure.

The MG41 cellular gateway simplifies the path to wireless WAN connectivity and makes cellular a viable uplink option for many networks. The MG41 acts as a gateway to the internet cellular networks by converting LTE signal from a cellular provider to an Ethernet handoff, which can be used as an internet uplink for a variety of use-cases.

MG41 can work with any routing or switching device, Meraki or non-Meraki. With additional 802.3af compatibility, the MG can be placed anywhere and powered via power over ethernet (PoE) like any access point. This gives users the option for optimal physical placement for signal quality - a cornerstone for wireless WAN communications.





MG series and Meraki Cloud Management: A Powerful Combo

All Meraki devices are managed via the Meraki cloud, with an intuitive browser-based interface. The MG series are self-configuring and managed over the web, and can be rapidly deployed at remote locations without any assistance from end-users.

Meraki Cloud services monitor all devices 24x7 and deliver real-time alerts if any devices encounter a problem. Remote diagnostics tools enable real-time troubleshooting through any web browser. New features and enhancements are delivered seamlessly over the web, so you never have to manually download software updates or worry about missing critical security vulnerability patches.

Features

Highlights

- Built in CAT18 connectivity
- Dual SIM support
- Supports 2 separate downstream router connections
- Small form factor
- PoE or DC powered
- IP67 rating
- Optional Patch antenna


Management

- Manageability from the Cisco Meraki dashboard
- Self-configuring Cellular Gateway
- Automatic firmware upgrades with scheduling control
- Extensive API support

Remote Diagnostics

- Email, SMS and Mobile push notification alerts
- Ping, traceroute, cable testing, and link failure detection with alerting
- Remote packet capture
- Combined event and configuration change logs with instant search

- DM logging via Local Status Page

 The MG41 cellular gateway uses 6 to 8 megabytes a day of data for telemetry on dashboard and connection monitoring when the unit is idle. Any additional Cisco Meraki devices that are added to the MG41 may increase data usage further. Cisco Meraki products are cloud connected devices that report telemetry into Dashboard for network monitoring purposes. The usage will be reduced in future firmware updates.

Use Cases

Note that the following use-cases refer to using a Meraki MX appliance with the MG41 as a WAN uplink. However, the use-cases can also apply to non-Meraki devices.

- **Antenna placement where cellular coverage is best**
 - Signal strength is key for cellular performance. The MG41 makes cellular a viable option in situations where the best location for the MX is not necessarily the best location for a strong cellular signal. The separation of cellular antenna and MX expands cellular options for all networks, particularly for mid-range MXs mounted in a data center. The 4 x 4 DL MIMO is capable of supporting deployments that demands higher throughput capacity.
- **Primary WAN**
 - In areas where wired internet services are not available, the MG41 provides a simple, viable option for wireless WAN connectivity.
- **Secondary WAN for Failover**
 - An MX's secondary WAN interface connected to an MG41 may use the cellular network in the event of a primary uplink failure.
- **Secondary WAN for SD-WAN**
 - An MX with an MG41 as a secondary WAN uplink may use the cellular network to establish VPNs for SD-WAN.
- **High Availability Uplink**
 - The MG41 can be used as either a primary or secondary internet uplink for MX HA topologies. Its two LAN ports allow the MXs to share access to the same cellular network.

Technical Breakdown

Physical Specifications

Models	MG41	MG41E
Dimensions (w x d x h)	168 x 168 x 35mm	168 x 168 x 35mm
Weight (without accessories)	670g	670g
Power Supply	12V/1A, 48-57V DC/0.35A	12V/1A, 48-57V DC/0.35A
Power Load	10 Watt Maximum (PoE 802.3AF)	10 Watt Maximum (PoE 802.3AF)

Operating Temperature	-22°F to 122°F (-30°C to 50°C)	-22°F to 122°F (-30°C to 50°C)
Humidity	5% to 95% non-condensing	5% to 95% non-condensing
Storage and Transportation Temperature	-22°F - 158°F -30°C - 70°C	-22°F - 158°F -30°C - 70°C
Product Category	CAT18	CAT18
Maximum Wireless Data Rate (Down/Up)	1.2 Gbps / 150 Mbps	1.2 Gbps / 150 Mbps
Antennas	Internal	Dipole, optional patch antenna
LAN Interfaces - Dedicated	1x Dedicated GbE RJ45	1x Dedicated GbE RJ45
LAN Interfaces - Convertible	1x Convertible LAN/WAN GbE RJ45	1x Convertible LAN/WAN GbE RJ45
SIM Slots	2	2

Physical Specifications (MG41 vs MG21)

Models	MG21/E	MG41/E
Dimensions (w x d x h)	160.45 x 160.45 x 34.45mm	168 x 168 x 35mm
Weight (without accessories)	489/497g	670g
PoE Ports	1	2
External Antennas	2	4
Patch Antennas	1	2
Product Category	CAT6	CAT18
Maximum Wireless Data Rate (Down/Up)	300 Mbps / 50 Mbps	1.2 Gbps / 150 Mbps
LAN Interfaces - Dedicated	1x Dedicated GbE RJ45	1x Dedicated GbE RJ45
LAN Interfaces - Convertible	1x Convertible LAN/WAN GbE RJ45	1x Convertible LAN/WAN GbE RJ45
SIM Slots	1	2
Carrier Aggregation	DL - 2CA	DL - 5CA, UL - 2CA

Feature Specifications (MG41 vs MG21)

Models	MG21/E	MG41/E
Auto SIM failover	No	Yes
Dual SIM Info	No	Yes
Custom APN configuration via dashboard	No	Yes
Carrier Aggregation info on dashboard	No	Yes
Troubleshooting tools (DM logging) on LSP	No	Yes
SIM switch via Dashboard/LSP	No	Yes
Band 66, 71	No	Yes
Private LTE (CBRS)	No	Yes
FirstNet band 14	No	Yes

Interfaces

LAN Interfaces	2x GbE
WAN Interfaces	1 * CAT 18 Cellular modem
SIM Card Slot	Nano (4FF)

Cellular

	MG41-HW & MG41E-HW
LTE bands	B1 (2100)
	B2 (1900)
	B3 (1800)
	B4 (1700)
	B5 (850)
	B7 (2600)
	B8 (900)
	B12 (700ac)

B13 (700c)
B14 (700PS)
B17 (700b)
B18 (800)
B19 (800)
B20 (800DD)
B25 (1900)
B42 (TDD 3500)
B38 (TDD 2600)
B40 (TDD 2300)
B43 (TDD 3600)
B26 (US 850 Ext)
B28 (700 APAC)
B29 (US 700de Lower)
B39 (TDD 1900)
B41 (TDD 2500)
B30 (2300 WCS)
B66 (AWS-3)
B32 (1500)
B46 (TDD 5200)
B48 (3600)
B71 (600)

UMTS bands

B1 (2100)
B2 (1900)
B8 (900)
B4 (AWS)
B5 (850)
B9 (1700)
B19 (800)

LTE
Category

CAT 18 LTE-A PRO

Certifications	PTCRB (US), RCM (ANZ, APAC), GCF (EU)
Certified Carriers	AT&T (US), Verizon Wireless (US), T-Mobile (US), Optus (AU), Telstra (AU), Bell (CA), Vodafone (NZ)
Carriers leveraging GCF	https://www.globalcertificationforum...f-members.html
Carriers pending certification	DoCoMo (Japan), Spark (NZ), Telus (CA)
Beta Tested Carriers	AT&T (United States), Verizon (United States), Rogers (Canada), Telus (Canada), Bell (Canada), Deutsche Telekom (Germany), Sunrise (Switzerland), Vodafone (NZ, UK, Germany, Ireland), Telstra (Australia), Optus (Australia), NTT docomo (Japan), KDDI (Japan)

Carrier Aggregation Global Carriers

2CA

CA_1A-3A, CA_1A-5A, CA_1A-7A, CA_1A-8A, CA_1A-18A, CA_1A-19A, CA_1A-20A, CA_1A-26A, CA_1A-28A, CA_1A-32A, CA_1A-38A, CA_1A-40A, CA_1A-41A, CA_1A-42A, CA_[2A]-[4A], CA_[2A]-5A, CA_[2A]-7A, CA_[2A]-12A, CA_[2A]-28A, CA_[2A]-46A, CA_[2A]-48A, CA_[2A]-[66A], CA_[2A]-71A, CA_3A-5A, CA_3A-7A, CA_3A-8A, CA_3A-19A, CA_3A-20A, CA_3A-26A, CA_3A-28A, CA_3A-32A, CA_3A-38A, CA_3A-40A, CA_3A-42A, CA_[4A]-5A, CA_4A-7A, CA_[4A]-12A, CA_[4A]-28A, CA_[4A]-46A, CA_5A-7A, CA_7A-8A, CA_7A-12A, CA_7A-20A, CA_7A-28A, CA_7A-42A, CA_8A-38A, CA_8A-40A, CA_8A-42A, CA_12A-[66A], CA_20A-32A, CA_20A-38A, CA_20A-40A, CA_20A-42A, CA_26A-[41A], CA_28A-40A, CA_28A-42A, CA_39A-41A, CA_40A-42A, CA_46A-[66A], CA_48A-[66A], CA_[66A]-71A, CA_1A-1A, CA_[2A]-[2A], CA_3A-3A, CA_[4A]-[4A], CA_7A-7A, CA_40A-40A, CA_42A-42A, CA_48A-48A, CA_[66A]-[66A], CA_[2C], CA_3C, CA_7B, CA_7C, CA_8B, CA_12B, CA_38C, CA_39C, CA_40C, CA_[41C], CA_42C, CA_48C, CA_[66B], CA_[66C]

CA_1A-1A-3A, CA_1A-3A-3A, CA_1A-3A-7A, CA_1A-3A-8A, CA_1A-3A-19A, CA_1A-3A-20A, CA_1A-3A-28A, CA_1A-3A-32A, CA_1A-3A-38A, CA_1A-3A-40A, CA_1A-3A-41A, CA_1A-3A-42A, CA_1A-3C, CA_1A-7A-7A, CA_1A-7A-8A, CA_1A-7A-20A, CA_1A-7A-28A, CA_1A-7A-42A, CA_1A-7C, CA_1A-8A-40A, CA_1A-20A-32A, CA_1A-20A-42A, CA_1A-28A-42A, CA_1A-40C, CA_1A-41C, CA_1A-42C, CA_1A-46C, CA_1C-3A, CA_[2A]-2A-12A, CA_2A-[2A]-12A, CA_2A-[2A]-66A, CA_2A-[2A]-66A, CA_2A-2A-[66A], CA_2A-[2A]-71A, CA_2A-[2A]-71A, CA_2A-[4A]-4A, CA_2A-[4A]-4AC, CA_2A-4A-[4A], CA_2A-[4A]-5A, CA_2A-[4A]-5A, CA_2A-[4A]-12A, CA_2A-[4A]-12A, CA_2A-[4A]-29A, CA_2A-[4A]-29A, CA_2A-[4A]-71A, CA_2A-[4A]-71A, CA_2A-7A-12A, CA_2A-[12A]-66A, CA_2A-12A-[66A], CA_2A-[12B], CA_2A-[46A]-46A, CA_2A-[46A]-66A, CA_2A-46A-[66A], CA_2A-[46C], CA_2A-[48A]-48A, CA_2A-[48C], CA_2A-[48A]-66A, CA_2A-48A-[66A], CA_2A-[66A]-66A, CA_2A-[66A]-66A, CA_2A-66A-[66A], CA_2A-[66A]-71A, CA_2A-[66A]-71A, CA_2A-[66C], CA_2A-[66C], CA_3A-3A-7A, CA_3A-3A-8A, CA_3A-3A-20A, CA_3A-3A-28A, CA_3C-5A, CA_3A-7A-7A, CA_3A-7A-8A, CA_3A-7A-20A, CA_3A-7A-28A, CA_3A-7A-42A, CA_3A-7B, CA_3A-7C, CA_3C-7A, CA_3A-8A-38A, CA_3A-8A-40A, CA_3C-8A, CA_3A-20A-32A, CA_3A-20A-42A, CA_3A-28A-40A, CA_3A-28A-42A, CA_3C-20A, CA_3C-28A, CA_3A-40A-40A, CA_3A-40C, CA_3A-42A-42A, CA_3A-42C, CA_3A-46C, CA_3C-32A, CA_3C-38A, CA_3C-40A, CA_4A-4A-7A, CA_[4A]-4A-12A, CA_4A-[4A]-12A, CA_[4A]-4A-71A, CA_4A-[4A]-71A, CA_4A-7A-12A, CA_[4A]-12B, CA_[4A]-46A-46A, CA_[4A]-46C, CA_7A-7A-8A, CA_7A-20A-42A, CA_7C-20A, CA_7B-28A, CA_7C-28A, CA_7A-46C, CA_8A-40C, CA_8A-42C, CA_12A-[66A]-66A, CA_12A-66A-[66A], CA_12A-[66C], CA_19A-42C, CA_20A-38C, CA_28A-40C, CA_28A-42C, CA_40A-40C, CA_40D, CA_40A-42C, CA_40C-42A, CA_42A-42C, CA_42D, CA_46C-[66A], CA_48A-48C, CA_48D, CA_48A-48A-[66A], CA_48C-[66A], CA_[66A]-66A-71A, CA_66A-[66A]-71A

3CA

	CA_1A-1A-3A-28A, CA_1A-3A-3A-28A, CA_1A-3A-7A-7A, CA_1A-3A-7C, CA_1A-3A-7A-8A, CA_1A-3A-7A-20A, CA_1A-3A-7A-28A, CA_1A-3A-8A-40A, CA_1A-3A-3A-8A, CA_1A-3A-40C, CA_1A-3A-42C, CA_1A-3C-5A, CA_1A-3C-7A, CA_1A-3C-8A, CA_1A-3C-28A, CA_1A-7C-28A, CA_1A-42D, CA_1A-46D, CA_2A-2A-12A-66A, CA_2A-2A-66A-66A, CA_2A-2A-66A-71A, CA_[2A]-2A-66C, CA_2A-[2A]-66C, CA_2A-2A-[66C], CA_2A-4A-7A-12A, CA_2A-12A-66A-66A, CA_2A-46A-46A-66A, CA_[2A]-46A-46C, CA_[2A]-46C-66A,
4CA	CA_2A-46C-[66A], CA_[2A]-46D, CA_[2C]-66A-66A, CA_2C-[66A]-66A, CA_2C-66A-[66A], CA_3A-3A-7A-7A, CA_3A-3A-7A-8A, CA_3A-3A-7A-20A, CA_3A-3A-7A-28A, CA_3A-5A-7A-7A, CA_3A-7A-7A-8A, CA_3A-7C-20A, CA_3A-7C-28A, CA_3A-28A-40C, CA_3A-28A-42C, CA_3A-40D, CA_3A-46D, CA_3C-7A-20A, CA_3C-7A-28A, CA_3C-7C, CA_3C-40C, CA_[4A]-46A-46C, CA_[4A]-46D, CA_7A-46D, CA_28A-40D, CA_28A-46D, CA_40C-40C, CA_40C-42C, CA_40E, CA_[41C]-42C, CA_42C-42C, CA_42E, CA_46A-46C-[66A], CA_46D-[66A], CA_48D-[66A], CA_48E
5CA	CA_1A-3A-7C-28A, CA_1A-3C-7C, CA_1A-3C-40C, CA_2A-46A-46C-66A, CA_2A-46D-66A, CA_3A-28A-40D, CA_3C-7C-28A, CA_3A-40E
2UL CA	UL_1A-7A, UL_1A-8A, UL_1A-28A, UL_3A-7A, UL_3A-8A, UL_3A-20A, UL_3A-28A, UL_4A-7A, UL_3C, UL_7C, UL_38C, UL_39C, UL_40C, UL_41C, UL_42C
Carrier Aggregation	AT&T
2CA	CA_[2A]-[4A], CA_[2A]-5A, CA_2A-7A, CA_[2A]-12A, CA_[2A]-14A,

CA_[2A]-29A, CA_2A-30A, CA_[2A]-46A, CA_[2A]-48A, CA_[2A]-
[66A], CA_[2A]-71A, CA_[4A]-5A, CA_4A-7A, CA_[4A]-12A, CA_[4A]-
29A, CA_4A-30A, CA_[4A]-46A, CA_[4A]-71A, CA_5A-30A, CA_5A-
[66A], CA_7A-12A, CA_12A-30A, CA_12A-[66A], CA_14A-30A,
CA_14A-[66A], CA_[25A]-26A, CA_25A-41A, CA_26A-[41A],
CA_29A-30A, CA_29A-[66A], CA_30A-66A, CA_46A-[66A], CA_48A-
[66A], CA_[66A]-71A, CA_[2A]-[2A], CA_[4A]-[4A], CA_[25A]-[25A],
CA_[41A]-[41A], CA_48A-48A, CA_[66A]-[66A], CA_[2C], CA_5B, CA_7C, CA_12B, CA_[41C], CA_48C, CA_[66B], CA_[66C]

CA_[2A]-2A-5A, CA_2A-[2A]-5A, CA_[2A]-2A-12A, CA_2A-[2A]-12A,
CA_2A-2A-30A, CA_[2A]-2A-66A, CA_2A-[2A]-66A, CA_2A-2A-[66A],
CA_[2A]-2A-71A, CA_2A-[2A]-71A, CA_[2A]-4A-4A, CA_2A-[4A]-4A,
CA_2A-4A-[4A], CA_[2A]-4A-5A, CA_2A-[4A]-5A, CA_[2A]-4A-12A,
CA_2A-[4A]-12A, CA_[2A]-4A-29A, CA_2A-[4A]-29A, CA_2A-4A-30A,
CA_[2A]-4A-71A, CA_2A-[4A]-71A, CA_2A-5A-30A, CA_[2A]-5A-66A,
CA_2A-5A-[66A], CA_2A-7A-12A, CA_2A-12A-30A, CA_[2A]-12A-
66A, CA_2A-12A-[66A], CA_[2A]-12B, CA_2A-14A-30A, CA_[2A]-
14A-66A, CA_2A-14A-[66A], CA_2A-29A-30A, CA_2A-30A-66A,
CA_[2A]-46A-46A, CA_[2A]-46A-66A, CA_2A-46A-[66A], CA_[2A]-
46C, CA_[2A]-48A-48A, CA_[2A]-48C, CA_[2A]-48A-66A, CA_2A-
48A-[66A], CA_[2A]-66A-66A, CA_2A-[66A]-66A, CA_2A-66A-[66A],
CA_[2A]-66A-71A, CA_2A-[66A]-71A, CA_[2A]-[66C], CA_[2A]-66C,
CA_2A-[66C], CA_[4A]-4A-5A, CA_4A-[4A]-5A, CA_4A-4A-7A,
CA_[4A]-4A-12A, CA_4A-[4A]-12A, CA_4A-4A-30A, CA_[4A]-4A-71A,
CA_4A-[4A]-71A, CA_4A-5A-30A, CA_4A-7A-12A, CA_4A-12A-30A,
CA_[4A]-12B, CA_4A-29A-30A, CA_[4A]-46A-46A, CA_[4A]-46C,
CA_5A-30A-66A, CA_5A-[66A]-66A, CA_5A-66A-[66A], CA_5A-[66C],
CA_12A-30A-66A, CA_12A-[66A]-66A, CA_12A-66A-[66A], CA_12A-
[66C], CA_14A-30A-66A, CA_14A-[66A]-66A, CA_14A-66A-[66A],
CA_[25A]-25A-26A, CA_25A-[25A]-26A, CA_25A-41C, CA_26A-
[41C], CA_29A-30A-66A, CA_29A-[66A]-66A, CA_29A-66A-[66A],
CA_30A-66A-66A, CA_[41A]-[41C], CA_[41A]-41C, CA_41A-[41C],

3CA

	CA_[41D], CA_46C-[66A], CA_48A-48C, CA_48D, CA_48A-48A- [66A], CA_48C-[66A], CA_[66A]-66A-71A, CA_66A-[66A]-71A
	CA_2A-2A-5A-30A, CA_2A-2A-5A-66A, CA_2A-2A-12A-30A, CA_2A- 2A-12A-66A, CA_2A-2A-29A-30A, CA_2A-2A-66A-66A, CA_2A-2A- 66A-71A, CA_[2A]-2A-66C, CA_2A-[2A]-66C, CA_2A-2A-[66C], CA_2A-4A-4A-12A, CA_2A-4A-5A-30A, CA_2A-4A-7A-12A, CA_2A- 4A-12A-30A, CA_2A-5A-30A-66A, CA_2A-5A-66A-66A, CA_2A-5B- 30A, CA_[2A]-5B-66A, CA_2A-5B-[66A], CA_2A-12A-30A-66A, CA_2A-12A-66A-66A, CA_2A-29A-30A-66A, CA_2A-46A-46A-66A, CA_[2A]-46A-46C, CA_[2A]-46C-66A, CA_2A-46C-[66A], CA_[2A]- 46D, CA_2A-66A-66A-71A, CA_2A-66C-71A, CA_[2C]-66A-66A, CA_2C-[66A]-66A, CA_2C-66A-[66A], CA_4A-4A-12A-30A, CA_[4A]- 46A-46C, CA_[4A]-46D, CA_5A-30A-66A-66A, CA_5B-30A-66A, CA_5B-66A-66A, CA_12A-30A-66A-66A, CA_25A-41D, CA_29A- 30A-66A-66A, CA_[41A]-41D, CA_[41C]-41C, CA_41C-[41C], CA_41E, CA_46A-46C-[66A], CA_46D-[66A], CA_48D-[66A], CA_48E
4CA	CA_2A-2A-46D, CA_2A-5B-30A-66A, CA_2A-5B-66A-66A, CA_2A- 46A-46C-66A, CA_2A-46D-66A, CA_5B-30A-66A-66A, CA_46D-66A- 66A
5CA	UL_2A-5A, UL_2A-12A, UL_4A-12A, UL_5A-66A, UL_5B, UL_41C
2UL CA	
Carrier Aggregation	Verizon
2CA	CA_[2A]-[2A], CA_[2A]-[4A], CA_[2A]-5A, CA_[2A]-13A, CA_[2A]- [66A], CA_[4A]-[4A], CA_[4A]-5A, CA_[4A]-13A, CA_5A-[66A], CA_5B, CA_13A-[66A], CA_[66A]-[66A], CA_[66B], CA_[66C], CA_[2A]-48A, CA_13A-48A, CA_48A-[66A]

3CA	<p>CA_[2A]-2A-5A, CA_[2A]-2A-13A, CA_[2A]-2A-66A, CA_2A-2A-[66A], CA_[2A]-4A-5A, CA_2A-[4A]-5A, CA_[2A]-4A-13A, CA_2A-[4A]-13A, CA_[2A]-5A-66A, CA_2A-5A-[66A], CA_[2A]-13A-66A, CA_2A-13A- [66A], CA_[2A]-66A-66A, CA_2A-[66A]-66A, CA_[2A]-[66B], CA_[2A]- [66C], CA_[4A]-4A-5A, CA_[4A]-4A-13A, CA_5A-[66A]-66A, CA_5A- [66B], CA_5A-[66C], CA_13A-[66A]-66A, CA_13A-[66B], CA_13A- [66C], CA_[66A]-[66C], CA_[66D], CA_[2A]-48A-48A, CA_[2A]-48A- 66A, CA_2A-48A-[66A], CA_[2A]-48C, CA_13A-48A-48A, CA_13A- 48A-[66A], CA_13A-48C, CA_48A-48A-[66A], CA_48A-[66A]-66A, CA_48A-[66B], CA_48C-[66A]</p>
4CA	<p>CA_2A-48A-48A-66A, CA_[2A]-48D, CA_13A-48A-48A-66A, CA_13A-48A-48C, CA_13A-48C-[66A], CA_13A-48D, CA_48A-48A-66A-66A, CA_48A-48A-[66B], CA_48A-48A-[66C], CA_48A-48C- [66A], CA_48D-[66A]</p>
5CA	<p>CA_2A-48E, CA_13A-48A-48C-66A, CA_13A-48C-48C, CA_13A- 48D-66A, CA_13A-48E, CA_48A-48C-66B, CA_48A-48C-66C, CA_48C-48C-66A, CA_48E-66A</p>
2UL CA	<p>UL_2A-13A, UL_4A-13A</p>
Carrier Aggregation	<p>T-Mobile US</p>
2CA	<p>CA_[2A]-[4A], CA_[2A]-5A, CA_2A-7A, CA_[2A]-12A, CA_[2A]-14A, CA_[2A]-29A, CA_2A-30A, CA_[2A]-46A, CA_[2A]-48A, CA_[2A]- [66A], CA_[2A]-71A, CA_[4A]-5A, CA_4A-7A, CA_[4A]-12A, CA_[4A]- 29A, CA_4A-30A, CA_[4A]-46A, CA_[4A]-71A, CA_5A-30A, CA_5A- [66A], CA_7A-12A, CA_12A-30A, CA_12A-[66A], CA_14A-30A, CA_14A-[66A], CA_[25A]-26A, CA_25A-41A, CA_26A-[41A], CA_29A-30A, CA_29A-[66A], CA_30A-66A, CA_46A-[66A], CA_48A-</p>

[66A], CA_[66A]-71A, CA_[2A]-[2A], CA_[4A]-[4A], CA_[25A]-[25A],
CA_[41A]-[41A], CA_48A-48A, CA_[66A]-[66A], CA_[2C], CA_5B,
CA_7C, CA_12B, CA_[41C], CA_48C, CA_[66B], CA_[66C]

CA_[2A]-2A-5A, CA_2A-[2A]-5A, CA_[2A]-2A-12A, CA_2A-[2A]-12A,
CA_2A-2A-30A, CA_[2A]-2A-66A, CA_2A-[2A]-66A, CA_2A-2A-[66A],
CA_[2A]-2A-71A, CA_2A-[2A]-71A, CA_[2A]-4A-4A, CA_2A-[4A]-4A,
CA_2A-4A-[4A], CA_[2A]-4A-5A, CA_2A-[4A]-5A, CA_[2A]-4A-12A,
CA_2A-[4A]-12A, CA_[2A]-4A-29A, CA_2A-[4A]-29A, CA_2A-4A-30A,
CA_[2A]-4A-71A, CA_2A-[4A]-71A, CA_2A-5A-30A, CA_[2A]-5A-66A,
CA_2A-5A-[66A], CA_2A-7A-12A, CA_2A-12A-30A, CA_[2A]-12A-
66A, CA_2A-12A-[66A], CA_[2A]-12B, CA_2A-14A-30A, CA_[2A]-
14A-66A, CA_2A-14A-[66A], CA_2A-29A-30A, CA_2A-30A-66A,
CA_[2A]-46A-46A, CA_[2A]-46A-66A, CA_2A-46A-[66A], CA_[2A]-
46C, CA_[2A]-48A-48A, CA_[2A]-48C, CA_[2A]-48A-66A, CA_2A-
48A-[66A], CA_[2A]-66A-66A, CA_2A-[66A]-66A, CA_2A-66A-[66A],
CA_[2A]-66A-71A, CA_2A-[66A]-71A, CA_[2A]-[66C], CA_[2A]-66C,
CA_2A-[66C], CA_[4A]-4A-5A, CA_4A-[4A]-5A, CA_4A-4A-7A, CA_[4A]-4A-12A, CA_4A-[4A]-12A, CA_4A-4A-30A,
CA_[4A]-4A-71A,
CA_4A-[4A]-71A, CA_4A-5A-30A, CA_4A-7A-12A, CA_4A-12A-30A,
CA_[4A]-12B, CA_4A-29A-30A, CA_[4A]-46A-46A, CA_[4A]-46C,
CA_5A-30A-66A, CA_5A-[66A]-66A, CA_5A-66A-[66A], CA_5A-[66C],
CA_12A-30A-66A, CA_12A-[66A]-66A, CA_12A-66A-[66A], CA_12A-
[66C], CA_14A-30A-66A, CA_14A-[66A]-66A, CA_14A-66A-[66A],
CA_[25A]-25A-26A, CA_25A-[25A]-26A, CA_25A-41C, CA_26A-
[41C], CA_29A-30A-66A, CA_29A-[66A]-66A, CA_29A-66A-[66A],
CA_30A-66A-66A, CA_[41A]-[41C], CA_[41A]-41C, CA_41A-[41C],
CA_[41D], CA_46C-[66A], CA_48A-48C, CA_48D, CA_48A-48A-
[66A], CA_48C-[66A], CA_[66A]-66A-71A, CA_66A-[66A]-71A

3CA

4CA

CA_2A-2A-5A-30A, CA_2A-2A-5A-66A, CA_2A-2A-12A-30A, CA_2A-
2A-12A-66A, CA_2A-2A-29A-30A, CA_2A-2A-66A-66A, CA_2A-2A-
66A-71A, CA_[2A]-2A-66C, CA_2A-[2A]-66C, CA_2A-2A-[66C],

	CA_2A-4A-4A-12A, CA_2A-4A-5A-30A, CA_2A-4A-7A-12A, CA_2A-4A-12A-30A, CA_2A-5A-30A-66A, CA_2A-5A-66A-66A, CA_2A-5B-30A, CA_[2A]-5B-66A, CA_2A-5B-[66A], CA_2A-12A-30A-66A, CA_2A-12A-66A-66A, CA_2A-29A-30A-66A, CA_2A-46A-46A-66A, CA_[2A]-46A-46C, CA_[2A]-46C-66A, CA_2A-46C-[66A], CA_[2A]-46D, CA_2A-66A-66A-71A, CA_2A-66C-71A, CA_[2C]-66A-66A, CA_2C-[66A]-66A, CA_2C-66A-[66A], CA_4A-4A-12A-30A, CA_[4A]-46A-46C, CA_[4A]-46D, CA_5A-30A-66A-66A, CA_5B-30A-66A, CA_5B-66A-66A, CA_12A-30A-66A-66A, CA_25A-41D, CA_29A-30A-66A-66A, CA_[41A]-41D, CA_[41C]-41C, CA_41C-[41C], CA_41E, CA_46A-46C-[66A], CA_46D-[66A], CA_48D-[66A], CA_48E
5CA	CA_2A-2A-46D, CA_2A-5B-30A-66A, CA_2A-5B-66A-66A, CA_2A-46A-46C-66A, CA_2A-46D-66A, CA_5B-30A-66A-66A, CA_46D-66A-66A
2UL CA	UL_2A-5A, UL_2A-12A, UL_4A-12A, UL_5A-66A, UL_5B, UL_41C
Carrier Aggregation	CBRS
2CA	CA_42A-42A, CA_48A-48A, CA_42C, CA_48C
3CA	CA_42A-42C, CA_42D, CA_48A-48C, CA_48D
2UL CA	UL_42C

Carrier compatibility is generally based on having compatible bands on the modem. In the open market, carriers may only require regulatory domain certifications and open market certifications, like the PTCRB and GCF, to be compatible for their network. Sometimes carriers will require additional testing before a device can be used on their network. The section Tested Carriers is based on Meraki device certifications being approved by those specific carriers. A carrier being listed above means that they have officially certified the Meraki product for their cellular network. There maybe many unlisted carriers could be functionally compatible with Meraki devices. The list of tested certified carriers is based on the carrier validating Meraki per their network parameter requirements. If a carrier you are looking to use is not listed above, it could be that they do not require additional compliance testing for their network.

MTBF Rating

Model	MTBF at 25°C
MG41	1,931,000
MG41E	1,931,000

Ordering Guide

To place an order for an MG41 cellular gateway, pair a specific hardware model with a single license (which includes cloud services, software upgrades and support). For example, to order an MG41E with 3 years of enterprise licensing for use in North America, order an MG41E-HW with LIC-MG41-ENT-3Y. A lifetime warranty with advanced replacement is included on all MG hardware (excluding accessories) at no additional cost.

Model SKU	Description
MG41-HW	Meraki MG41 Cellular Gateway
MG41E-HW	Meraki MG41 Cellular Gateway – External Antennas

Licensing

License SKU	Description
LIC-MG41-ENT-1Y	Meraki MG41 Enterprise License and Support, 1YR
LIC-MG41-ENT-3Y	Meraki MG41 Enterprise License and Support, 3YR
LIC-MG41-ENT-5Y	Meraki MG41 Enterprise License and Support, 5YR
LIC-MG41-ENT-7Y	Meraki MG41 Enterprise License and Support, 7YR
LIC-MG41-ENT-10Y	Meraki MG41 Enterprise License and Support, 10YR

Accessories

Accessory SKU	Description
MA-PWR-30W-XX	Standard power adapter. Regional plugs per SKU.
MA-INJ-4	Gigabit 802.3at PoE injector
MA-ANT-C2-A	Dipole Antenna pair included with MG41E
MA-ANT-C1-B	Patch Antenna pair for MG41E

Included In The Box

Model	Contents
MG41	1 x MG41-HW 1 x Mounting plate and screw set
MG41E	1 x MG41E-HW 1 x Mounting plate and screw set 4 x dipole antennas



We only support and recommend having all 4 antenna's connected on the MG 41E.



Non-Meraki Antenna not supported

Note: Non-Meraki antennas are not supported. The socket is a reversed RP-SMA that is designed to detect the official MG smart dipole antennas and smart patch antenna. Usage of non-Meraki accessories may damage the MG and degrade performance. The Cisco Meraki antennas are designed for the maximum allowable gain without exceeding the EIRP for local regulatory domains on their supported bands.



Power Adapter vs PoE : The MG can be powered using a PoE or via a power adapter. The power adapter always takes the first preference i.e if the MG is already powered via the PoE and then the power adapter is connected, then the MG will power off and power on using the adapter as the power source. The same scenario applies when the PoE and power adapter are connected simultaneously and the power source from the adapter goes down, the MG will power off and then power on. Plugging/unplugging PoE when power adapter is connected to the MG does not have any bearing on the operation of the MG as the device will always draw power from the adapter whenever it is connected.